SAFETY DATA SHEET

Alloy Sn46-Pb46-Bi8 NC 273LT



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1	Product	identifier
-----	---------	------------

Product name	: Alloy Sn46-Pb46-Bi8 NC 273LT
Product code	: GHS059
Product type	: Solid. [Solder Paste]
Other means of identification	: Not available.

1.2 Relevant identified uses of the substance or mixture and uses advised against Not applicable.

1.3 Details of the supplier of the safety data sheet

AIM 9100 Henri Bourassa East Montreal, QC H1E 2S4 (514) 494-2000

AIM Solder Europe Sp. z.o.o. ul. Papiernicza 7 Łódź 92-312 Poland

e-mail address of person responsible for this SDS

: Safetydata@aimsolder.com

1.4 Emergency telephone number

National advisory body/Poison Centre Telephone number : INFOTRAC Europe: 0800-181-29-24 International: (352) 323-3500

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Repr. 1B, H360FD (Fertility and Unborn child) Lact., H362 STOT RE 2, H373

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



SECTION 2: Hazards identification

Signal word	1	Danger
Hazard statements	-	May damage fertility or the unborn child. May cause harm to breast-fed children. May cause damage to organs through prolonged or repeated exposure.
Precautionary statements		
General	:	Not applicable.
Prevention	-	Obtain special instructions before use. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Do not breathe dust. Avoid contact during pregnancy or while nursing.
Response	:	Get medical attention if you feel unwell. IF exposed or concerned: Get medical attention.
Storage	:	Store locked up.
Disposal	1	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Restricted to professional users. For the supply to the general public - Entry No. 30, Entry No. 63.
Special packaging requirem	en	<u>its</u>
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	;	Not applicable.
2.3 Other hazards		
		P: Not available. B: Not available. T: Not available.

vP: Not available. vB: Not available.

Other hazards which do	1	None known.
not result in classification		

SECTION 3: Composition/information on ingredients

3.2 Mixtures :	Mixture			
Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
lead compounds	REACH #: 01-2119513221-59 EC: 231-100-4 CAS: 7439-92-1 Index: 082-001-00-6	≥25 - ≤50	Repr. 1B, H360FD (Fertility and Unborn child) Lact., H362 STOT RE 2, H373	[1] [2]
TO BE TRANSLATED	EC: 266-041-3 CAS: 65997-06-0	≤5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	[1]
Amine Decanoic Acid Salt	-	<1	Skin Sens. 1, H317 Aquatic Chronic 2, H411	[1]
2,2',2"-nitrilotriethanol	EC: 203-049-8 CAS: 102-71-6	≤0.3	Skin Sens. 1B, H317 STOT RE 2, H373 (kidneys, liver)	[1]
			See Section 16 for the full text of the H statements declared above.	

Alloy Sn46-Pb46-Bi8 NC 273LT

SECTION 3: Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower evelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. • If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. **Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse. Ingestion Wash out mouth with water. Remove dentures if any. Remove victim to fresh air • and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. **Protection of first-aiders** No action shall be taken involving any personal risk or without suitable training. If it ÷. is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure sign	ns/symptoms
Eye contact	: No specific data.
Inhalation	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Skin contact	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations

Alloy Sn46-Pb46-Bi8 NC 273LT

SECTION 4: First aid	I measures
4.3 Indication of any immedi	ate medical attention and special treatment needed
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
SECTION 5: Firefigh	ting measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising f	from the substance or mixture
Hazards from the substance or mixture	: No specific fire or explosion hazard.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Additional information	

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures				
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.				
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".				
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).				
6.3 Methods and material for	со	ntainment and cleaning up				
Small spill	:	Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.				
Large spill	:	Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.				
Date of issue/Date of revision		: 4/3/2019 Date of previous issue : 6/4/2018 Version : 2 4/14				

Alloy Sn46-Pb46-Bi8 NC 273LT

SECTION 6: Accidental release measures

 6.4 Reference to other sections
 See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid contact during pregnancy or while nursing. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations: Not available.Industrial sector specific: Not available.solutions: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name		Exposure limit values	
lead compounds		EU OEL (Europe, 12/2009). Notes: list of binding occupational exposure limit values TWA: 0.15 mg/m³ 8 hours.	
procedures a	atmosphere or b of the ventilation protective equiprise he following: Eu- he assessment mit values and r atmospheres - G of exposure to ch Workplace atmospheres	ntains ingredients with exposure limits, personal, workplace iological monitoring may be required to determine the effectiveness or other control measures and/or the necessity to use respiratory ment. Reference should be made to monitoring standards, such as uropean Standard EN 689 (Workplace atmospheres - Guidance for of exposure by inhalation to chemical agents for comparison with measurement strategy) European Standard EN 14042 (Workplace Suide for the application and use of procedures for the assessment hemical and biological agents) European Standard EN 482 ospheres - General requirements for the performance of procedures ment of chemical agents) Reference to national guidance	

SECTION 8: Exposure controls/personal protection

documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls		
Appropriate engineering controls	:	If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Individual protection meas	ures	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance						
Physical state	: Solid. [Solder Paste]					
Colour	: Silver-grey.					
Odour	:					
Odour threshold	: Not available.					
рН	: Not available.					
Melting point/freezing point	: 120 to 167°C					
Date of issue/Date of revision	: 4/3/2019 Date of previous issue	: 6/4/2018	Version : 2	6/14		

SECTION 9: Physical and chemical properties

Initial boiling point and boiling range	: Not available.
Flash point	: [Product does not sustain combustion.]
Evaporation rate	: Not available.
Flammability (solid, gas)	 Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge. Massive metal is nonflammable.
Upper/lower flammability or explosive limits	: Not available.
Vapour pressure	: Not available.
Vapour density	: Not available.
Relative density	: 9.35
Solubility(ies)	: Insoluble in the following materials: cold water.
Partition coefficient: n-octanol/ water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Explosive properties	: Non-explosive in the presence of the following materials or conditions: open flames, sparks and static discharge, heat and shocks and mechanical impacts.
Oxidising properties	: Not available.
9.2 Other information	
Solubility in water	: Not available.
Molecular weight	: Not applicable.
Type of aerosol	: Not applicable.
Ignition distance	: Not applicable.
Enclosed space ignition - Time equivalent	: Not applicable.
Enclosed space ignition - Deflagration density	: Not applicable.
Flame height	: Not applicable.
Flame duration	: Not applicable.
No additional information.	

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: No specific data.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

 Date of issue/Date of revision
 : 4/3/2019
 Date of previous issue
 : 6/4/2018
 Version
 : 2

7/14

SECTION 11: Toxicological information

ŝ

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
TO BE TRANSLATED	LD50 Oral	Guinea pig	5000 mg/kg	-
	LD50 Oral	Rat	52 mg/kg	-
	LD50 Oral	Rat	8400 mg/kg	-
2,2',2"-nitrilotriethanol	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	4190 mg/kg	-

Conclusion/Summary

Acute toxicity estimates

Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
2,2',2"-nitrilotriethanol	Eyes - Mild irritant	Rabbit	-	10 milligrams	
	Eyes - Severe irritant	Rabbit	-	20 milligrams	s -
	Skin - Mild irritant	Human	-	72 hours 15	-
				milligrams Intermittent	
	Skin - Severe irritant	Mouse	-	50 Percent	_
	Skin - Mild irritant	Rabbit	-	24 hours 560) -
				milligrams	
Conclusion/Summary	: Not available.			•	
Sensitisation					
Conclusion/Summary	: Not available.				
Mutagenicity					
Conclusion/Summary	: Not available.				
Carcinogenicity					
Conclusion/Summary	: Overexposure to fumes may cause severe irritation to the respiratory tract, digestive system and to the eyes. Overexposure to tin oxide fumes may result in benigne penumoconiosis (stannosis). Repeated and prolonged contact may cause skin irritation or dermatitis. Repeated and prolonged contact may cause an allergic skin reaction (sensitization) in susceptible individuals.				
Reproductive toxicity					
Conclusion/Summary	: Not available.				
Teratogenicity					
Conclusion/Summary	y : Not available.				
Specific target organ toxici	<u>ty (single exposure)</u>				
Product/ing	redient name	Category		ute of osure	Target organs
TO BE TRANSLATED		Category 3	Not app	liechle D	espiratory tract

Product/ingredient nameCategoryRoute of
exposureTarget organslead compounds
2,2',2"-nitrilotriethanolCategory 2Not determined
Not determined
kidneys and liver

Aspiration hazard

Not available.

Alloy Sn46-Pb46-Bi8 NC 273LT

SECTION 11: Toxicological information

Information on likely routes : Not available. of exposure

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Skin contact	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations

Delayed and immediate effects as well as chronic effects from short and long-term exposure Short term exposure **Potential immediate** : Not available. effects **Potential delayed effects** : Not available. Long term exposure **Potential immediate** : Not available. effects **Potential delayed effects** : Not available. Potential chronic health effects Not available. **Conclusion/Summary** : Not available. General : May cause damage to organs through prolonged or repeated exposure. : No known significant effects or critical hazards. Carcinogenicity **Mutagenicity** : No known significant effects or critical hazards. : May damage the unborn child. **Teratogenicity Developmental effects** : May cause harm to breast-fed children. **Fertility effects** : May damage fertility. Other information : To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Alloy Sn46-Pb46-Bi8 NC 273LT

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
lead compounds	Acute EC50 105 ppb Marine water	Algae - Chaetoceros sp Exponential growth phase	72 hours
	Acute EC50 0.489 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Acute EC50 8000 µg/l Fresh water	Aquatic plants - Lemna minor	4 days
	Acute LC50 530 µg/l Fresh water	Crustaceans - Ceriodaphnia reticulata	48 hours
	Acute LC50 4400 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 0.44 ppm Fresh water	Fish - Cyprinus carpio - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
	Chronic NOEC 0.25 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Chronic NOEC 0.03 µg/l Fresh water	Fish - Cyprinus carpio	4 weeks
2,2',2"-nitrilotriethanol	EC50 216 mg/l	Algae - Desmodesmus subspicatus	72 hours
	EC50 169 mg/l	Algae - Desmodesmus subspicatus	96 hours
	LC50 100 mg/l	Fish - Pimephales promelas	96 hours
	Acute EC50 609.98 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Chronic NOEC 16000 µg/l Fresh water	Daphnia - Daphnia magna	21 days

12.2 Persistence and degradability

Conclusion/Summary

: Over melting point, toxic metallic oxide fumes may be evolved.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
TO BE TRANSLATED 2,2',2"-nitrilotriethanol	3.42	- <3.9	low low
	-1	< 3.9	IOW

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment		
PBT	: Not applicable.	
vPvB	: Not applicable.	

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Alloy Sn46-Pb46-Bi8 NC 273LT

SECTION 13: Disposal considerations

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	Not available.	Not available.	Not available.
14.2 UN proper shipping name	-	Not available.	Not available.	Not available.
14.3 Transport hazard class(es)	-	Not available.	Not available.	Not available.
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk: Not available.according to Annex II ofMarpol and the IBC Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

1	information			
Ingredient name	Intrinsic property	Status	Reference number	Date of revision
Lead	Toxic to reproduction	n Candidate	-	-
	estricted to professional users. Fo try No. 63.	r the supply to the	general public -	Entry No.
<u>ther EU regulations</u>				
Europe inventory : No	t determined.			
ndustrial emissions : Lis (integrated pollution prevention and control) - Air	sted			
ndustrial emissions : Lis (integrated pollution prevention and control) - Water	sted			
Dzone depleting substances (10 Not listed.	<u>05/2009/EU)</u>			
Prior Informed Consent (PIC) (64	9/2012/EU)			
Ingredient name		Annex	Sta	tus
Lood compounds				
	t applicable.	Annex I - Part	1 List	ed
No Seveso Directive This product is not controlled unde Biocidal products : No regulation ternational regulations	r the Seveso Directive. It applicable.		1 List	ed
No Seveso Directive This product is not controlled unde Biocidal products : No regulation ternational regulations hemical Weapon Convention Lis	r the Seveso Directive. It applicable. It Schedules I, II & III Chemicals			
No Seveso Directive This product is not controlled unde Biocidal products : No regulation ternational regulations hemical Weapon Convention Lise ngredient name	r the Seveso Directive. ot applicable. o <u>t Schedules I, II & III Chemicals</u> List name		Sta	tus
No Seveso Directive This product is not controlled unde Biocidal products : No regulation ternational regulations hemical Weapon Convention Lis	r the Seveso Directive. at applicable. St Schedules I, II & III Chemicals List name Schedule III C, E)			tus
No Seveso Directive This product is not controlled unde Biocidal products : No regulation ternational regulations hemical Weapon Convention Lis hemical Weapon Convention Lis ngredient name riethanolamine ontreal Protocol (Annexes A, B, lot listed. tockholm Convention on Persist lot listed. otterdam Convention on Prior Im lot listed.	r the Seveso Directive. at applicable. EXAMPLE 1, II & III Chemicals List name Schedule III C, E) Sent Organic Pollutants Stormed Consent (PIC)		Sta	tus
No Seveso Directive This product is not controlled unde Biocidal products : No regulation ternational regulations hemical Weapon Convention Lis ngredient name riethanolamine ontreal Protocol (Annexes A, B, lot listed. tockholm Convention on Persist lot listed. otterdam Convention on Prior In lot listed. NECE Aarhus Protocol on POPs	r the Seveso Directive. at applicable. Et Schedules I, II & III Chemicals List name Schedule III C, E) Schedule III C, E) Schedule III C, E) Schedule III C, E) Schedule III C, E) Schedule III Schedule I		Sta List	tus ed
No Seveso Directive This product is not controlled unde Biocidal products : No regulation ternational regulations hemical Weapon Convention Lis hemical Weapon Convention Lis ngredient name riethanolamine ontreal Protocol (Annexes A, B, lot listed. tockholm Convention on Persist lot listed. otterdam Convention on Prior Im lot listed.	r the Seveso Directive. at applicable. EXAMPLE 1, II & III Chemicals List name Schedule III C, E) Sent Organic Pollutants Stormed Consent (PIC)		Sta	tus ed

Canada	: Not determined.
Canada	: Not determined.

China : Not determined.

Date of issue/Date of revision

SECTION 15: Regulatory information

Japan	: Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined.
Malaysia	: Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: Not determined.
Turkey	: Not determined.
United States	: All components are listed or exempted.
15.2 Chemical safety assessment	 This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative
Key literature references and sources for data	 -Canada Gazette Part II, Vol. 122, No. 2 Registration SOR/88-64 31 December, 1987 Hazardous Products Act "Ingredient Disclosure List"CFR29, OSHA's Permissible Exposure Limits, revision July, 1993CFR29, part 1910.1200, Hazard CommunicationCSST (Comission de Santé et Sécurité au Travail), document #RT-12: Classification of Certain Chemical SubstancesMaterial safety data sheet issued by: la Commission de la Santé et de la Sécurité du Travail du Québec NIOSH, Pocket Guide to Chemical Hazards, revision June 1994TSCA (Toxic

Substance Contral Act), Chemical Substance Inventory List, 1985.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
,	Calculation method Calculation method Calculation method

Full text of abbreviated H statements

Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
May cause respiratory irritation.
May damage fertility. May damage the unborn child.
May cause harm to breast-fed children.
May cause damage to organs through prolonged or repeated
exposure.
Toxic to aquatic life with long lasting effects.

Full text of classifications [CLP/GHS]

Alloy Sn46-Pb46-Bi8 NC 273LT

SECTION 16: Othe	r information	
Aquatic Chronic 2, H411		LONG-TERM AQUATIC HAZARD - Category 2
Eye Irrit. 2, H319		SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Lact., H362		REPRODUCTIVE TOXICITY - Effects on or via lactation
Repr. 1B, H360FD		REPRODUCTIVE TOXICITY (Fertility and Unborn child) -
		Category 1B
Skin Irrit. 2, H315		SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1, H317		SKIN SENSITISATION - Category 1
Skin Sens. 1B, H317		SKIN SENSITISATION - Category 1B
STOT RE 2, H373		SPECIFIC TARGET ORGAN TOXICITY - REPEATED
		EXPOSURE - Category 2
STOT SE 3, H335		SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE
		(Respiratory tract irritation) - Category 3
Date of printing	: 4/3/2019	
Date of issue/ Date of	: 4/3/2019	
revision		
Date of previous issue	: 6/4/2018	
Version	: 2	
Notice to reader		

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.